

APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of	filling in State Engineer's Office	APR 29	1960
Returne	ed to applicant for correction		
Correcte	ed application filed	************	
Map file	ed		1960
	Gorrela Donn	100	
			ounty of Hale
		100	ake application for permission to appropriate the public
			pplicant is a corporation, give date and place of incorpora-
-200			mbers.)
<u> </u>	egi disente di Ariana.		Kong a garkera a kanala kata
1. Th	e source of the proposed appropriation	on is	underground Name of stream, lake or other source.
			Name of stream, lake or other source.
2 Th			Second-feet. One second-foot equals 448.83 gais. per min.
			One second-foot equals 448.83 gais. per min. acre-feet.
		· · ·	nd Domestic
		Irrigation	, power, mining, manufacturing, domestic, or other use.
	use is for:	• • • • • • •	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
)207
) Stockwater (state number and kinds	1	and the second of the second o
	•	o. 11. Rema	ırks")
(d	l) Power:	:	
(1) Horsepower developed		
	and the second s	ce at the fo	llowing point: $SW_{\overline{\mu}}^{1} NW_{\overline{\mu}}^{1} Sec. 20, T. 16 S.$
R	. 48 E., M.D.B.&M. Describe as being within a 40-acre subdivision o	f public survey,	and by course and distance to a section corner. If on unsurveyed land,
	it should be stated.	·····	
6. Pla	ace of use Lot 4, $SE^{\frac{1}{4}}$ $NE^{\frac{1}{4}}$ $SE^{\frac{1}{4}}$	sec. 19	W\frac{1}{2} \text{NW\frac{1}{4}} \text{NW\frac{1}{4}} \text{SW\frac{1}{4}} \text{Sec. 20, T. 16 S.,} mbdivision, if on unsurveyed land it should be so stated.
R	. 48 E., M.D.B.&M.	!	
 e .			
••••			
7. Us	e will begin about Jan. 1	and e	nd about Dec. 31 , of each year.
			ons of NRS 535.010 you may be required to submit plans
and	d specifications of your diversion or s	torage work	s) well, pump, pipelines and
sp	orinklers.	hathar bir dan	or other works, whether through pipes, ditches, flumes, or other conduits.
	-	-	or other works, whether infough pipes, disches, figures, or other conducts.

	Estimated time required to construct works 3 years.
11.	Remarks Application filed in support D.L.E. Nev. 050957

Con	npared HS/LB bw/hs Applicant s/ Sarah Downey
	Ву
	APPROVAL OF STATE ENGINEER
	This is to certify that I have examined the foregoing application, and do hereby grant the same, subject
follo	wing limitations and conditions:
	This permit is issued subject to all existing rights on the sou
	d is limited to what the well will produce but not to exceed 3.5
	f.s. It is understood that this right must allow for a reasonab
	wering of the static water level at permittee!s well due to othe
gr.	ound water development in the area. A substantial weir or other
ty.	pe_of_measuring_device_must_be_installed_and_measurements_of_wat
us	kept, and a method provided, either air line or opening, for
me.	asuring depth to water. The State retains the right to regulate
	of the water herein granted at any and all times.
,	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use
not	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use to exceed
not	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use
not	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use to exceed
not 5	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use to exceed
not 5 Act	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use to exceed
not 5 Act Pro	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use to exceed
not 5 Act Pro Wor	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use to exceed
Act Pro Wor	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use to exceed
not 5 Act Pro Wor Pro App	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use to exceed
not 5 Act Proc Wor Proc App Proc Maj	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use to exceed
not 5 Act Pro Wor Pro App Pro Maj	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use to exceed
not 5 Act Pro Wor App Pro Maj	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use to exceed
not 5 Act Proc Wor Appl Proc Mag Com Proc Cult Cert	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use to exceed